



寸法表

呼び径		d	H	H1	H2	H3	L	D	C	D1	L1	E	F	ギア ユニット	概算質量 (kg)	
mm	in.													型式番号		
50	2	50	194	147	67	19	43	90	120	80	122	29	28	NO.0	2.2	
65	2.1/2	65	202	155	75	19	46	104	140	80	122	29	28	NO.0	2.6	
80	3	80	236	173	91	24	46	124	160	110	135	36	40	NO.1	3.9	
100	4	100	246	183	101	24	52	146	185	110	135	36	40	NO.1	4.2	
125	5	125	274	211	127	24	56	176	225	110	150	36	40	NO.1	6.3	
150	6	150	286	223	139	24	56	206	260	110	150	36	40	NO.1	8.5	
200	8	197	325	248	169	32	60	257	305	170	180	51	63	NO.2	14	

注 (1) 呼び径 (mm) を表わしています。

(2) 呼び径 (inch) を表わしています。

(3) クロマト処理。

(4) 焼付け一体形シート。

(5) 無電解ニッケルめっき。

製品記号		☐ G-16DJ	☐ G-16DJE	☐
規格	面間	JIS B2032 系列番号 46		
	管接続	ウエハー形 (JIS 16K)		
	肉厚	キッツ 標準		
	圧力検査	JIS B2032		


ダクタイル 16K

バタフライ弁


ギア操作式

年 月 日	2009.01.05	図 番			
承認	真 田	947-A30067 REV-03			
検 図	佐 久				
設計	佐 久				
製 図	小 池		記号	日 付	承認

株式会社 キッツ



KITZ



單位：mm

呼び径		d	H	H1	H2	H3	L	D	管 接 続		D1	d1	L1	E	F	ギア ユニット 型式番号	概算質量 (kg)	
									C	h								
mm	in.																	
350	14	333	461	360	309	60	78	407	480	—	360	—	310	68	89	NO.4	60	
400	16	385	516	415	348	60	102	466	540	33	360	—	310	68	89	NO.4	85	
450	18	434	540	439	372	60	114	522	605	33	360	M12	310	68	89	NO.4	105	
500	20	482	623	488	423	65	127	575	660	33	500	M12	400	90	134	NO.6	160	
600	24	579	671	536	472	65	154	680	770	M36×3 深さ39	500	M16	400	90	134	NO.6	224	

KITZ

部番	部 品 名	個数	材 料		
			JIS SPEC.	JIS SPEC.	JIS SPEC.
1	弁 箱	1	FCD450-10	—————▶	
3	弁 棒	1	SUS420J2	—————▶	
4	弁 体	1	FCD450-10+ENP (3)	—————▶	
16	銘 板	1	A1050P	—————▶	
35	エンドプレートボルト	1組	SS400	—————▶	
36	グランドプレートボルト	1組	SUS304	—————▶	
45A	O リング	1	NBR	EPDM	
45B	O リング	1	NBR	EPDM	
60A	キー	1	S45C	—————▶	
60B	キー	1	S45C	—————▶	
67A	ステムベアリング	1	PTFE (裏金入)	—————▶	
67B	ステムベアリング	1	PTFE (裏金入)	—————▶	
67C	ステムベアリング	1	PTFE (裏金入)	—————▶	
99	セットボルト	4	SS400	—————▶	
102	ギアユニット	1			
103	下部弁棒	1	SUS420J2	—————▶	
106	ゴムシート	1	NBR	EPDM	
132	サポートボルト	1	SCM435	—————▶	
133	ナット	1	SS400	—————▶	
144	グランドプレート	1	SS400	—————▶	
145A	ばね座金	1組	SWRH62	—————▶	
145B	ばね座金	4	SWRH62	—————▶	
147	エンドプレート	1	SS400	—————▶	
155	シールワッシャ	1	SPCC+NBR	—————▶	
		</			